

Flu Watch

MMWR Week 34: August 19 to August 25, 2018

All data are provisional and subject to change as more reports are received.

Geographic Spread

South Carolina reported **no activity** this week.



Influenza-Associated Hospitalizations and Deaths

This week **2** influenza-associated hospitalizations were reported by 21 hospitals. The cumulative hospitalization rate is **91.2** per 100,000. There were **0** laboratory-confirmed influenza-associated deaths reported this week. The cumulative mortality rate is **5.9** per 100,000. Compared to the previous week, the number of reported hospitalizations decreased by **4** (**66.7%**) cases and deaths **remained the same**. In the current flu season, there have been **4,526** influenza-associated hospitalizations and **292** influenza-associated deaths reported.



Virologic Surveillance

A total of **18** influenza cases (**17** positive rapid antigen detection tests; **1** lab-confirmed tests) were reported from 9 counties representing all four DHEC Public Health regions. Influenza A was most frequently reported by clinical labs. Compared to the previous week, the number of reported influenza cases increased by **6** (**25.0%**) cases. In the current flu season, there have been **135,586** influenza cases (**131,995** positive rapid antigen detection tests; **3,591** lab-confirmed tests) reported.

For a description of South Carolina's influenza surveillance components and definitions go to: http://www.scdhec.gov/Health/DiseasesandConditions/InfectiousDiseases/Flu/FluData/

ili

Influenza-Like Illness Surveillance

The percent of patient visits to sentinel providers for an influenza-like illness (ILI) was **0.22%**, which is **below** South Carolina's baseline (**3.13%**). Compared to the previous week, this is a **decrease** of **0.25%**.

The ILI activity level was minimal.


For national surveillance, please visit: https://www.cdc.gov/flu/weekly/



Virologic Surveillance

This week, **1** lab-confirmed case and **17** positive rapid influenza detection tests were reported by clinical labs.

Influenza A was most frequently reported by clinical labs.





Influenza Cases Reported by Public Health and Clinical Labs, This Week and Season Total

Influenza Type	Public	c Health Lab	C	linical Labs	Total		
	This Week	Season Total	This Week	Season Total	This Week	Season Total	
Overall	0	243	18	135343	18	135586	
Influenza A	0	181 (74.4%)	12 (66.7%)	12 (66.7%) 91267 (67.4%)		91448 (67.4%)	
A (H3)		139 (76.7%)	1 (8.3%)	397 (0.4%)	1 (8.3%)	536 (0.6%)	
A (H1N1)		42 (23.3%)	` <u></u>	170 (0.2%)	'	212 (0.2%)	
A (not subtyped)			11 (91.7%)	11 (91.7%) 90700 (99.4%)		90700 (99.2%)	
Influenza B	0	62 (25.6%)	6 (33.3%)	43552 (32.2%)	6 (33.3%)	43614 (32.2%)	
B (Victoria)	ctoria)					2 (0.0%)	
B (Yamagata)		55 (88.7%)				55 (0.2%)	
B (lineage not performed)			6 (100%) 43552 (100%)		6 (100%) 43557 (99.8%)		
Influenza (not typed)				524 (0.4%)		524 (0.4%)	



Virologic Surveillance









Influenza-Like Illness Surveillance

This week, the ILI activity level was **minimal** and **0.22%** of patient visits to SC ILINet providers was attributed to an influenza-like illness. This is **below** the state baseline, **3.13%**.

Reports were received from providers in 8 counties, representing 3 of the 4 DHEC Public Health regions.

ILI percentage is dependent upon the number of reporting providers and/or can vary by disease activity or the number of providers submitting reports.





State ILI Activity Level 2017-18 Calendar by Week of the Year

OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
40	44	48	1	5	9	14	18	22	27	31	
41	45	49	2	6	10	15	19	23	28	32	
42	46	50	3	7	11	16	20	24	29	33	
43	47	51	4	8	12	17	21	25	30	34	
	52			13			26				


ILI ACTIVITY LEVELS: MINIMAL LOW MODERATE HIGH



Influenza-Associated Hospitalizations And Deaths

Age	Hospitalizations			Deaths			
Group							
	This Week	Rate per	Season	This Week	Rate per	Season	
		100, 000	Total		100, 000	Total	
0 to 4	0	54.2	159		1.0	3	
5 to 17	0	17.5	141				
18 to 49	0	29.6	592		1.3	27	
50 to 64	1	116.1	1057		5.7	52	
65 & older	1	407.8	2577		33.2	210	
Total	2	91.2	4526		5.9	292	

The percentage of deaths attributed to pneumonia and influenza was 5.2%. This is **below** the epidemic threshold for the week ending August 4, 2018.



Reported Influenza-Associated Hospitalizations by Age Group, 2015-16 Season to Present

